

# *NEW PRODUCTS*

## *EUROLUBE NOVEMBER 2020*



**NEW**



# M.G.V. 0W-20 HYBRID

M.G.V. 0W-20 HYBRID is a 100% synthetic "fuel economy" lubricant developed for **Hybrid Electric Vehicles (H.E.V.) and Plug-in Hybrid Electric Vehicles (P.H.E.V.) vehicles** equipped with modern petrol engines, supercharged or aspirated, with direct or indirect injection. Moreover it is formulated with a dedicated additive package for **Mercedes Benz** vehicles with requirements 0W20, **MB 229.71**.

**SPECIFICATIONS: API SP / SN+; ACEA C5; MB 229.71.**

**PRODUCT CODE: REU OVxxx-163**

Packings: 12x1Lt, 20Lt, 200Lt

**EURO  
LUBE**



# M.G.V. 0W-20 HYBRID

- **FOCUS SPECIFICATION API SP**

API SP and ILSAC GF-6 are new automotive engine oil specifications developed by Original Equipment Manufacturers (OEMs) and members of the American Petroleum Institute (API). These specifications represent the latest evolution in the industry, designed to meet the needs of modern engine technology.

**ILSAC GF-6 and API SP first license date is May 1, 2020.**

**WE PROPOSE OURSELVES AS INNOVATORS !!!!!**




# M.G.V. 0W-30 FJ

M.G.V. 0W-30 FJ is a synthetic lubricant with very high performance designed to be used in latest generation engines, recommended in **Ford** vehicle engines that require an oil that meets the **WSS-M2C950-A** specification and can also be used in numerous **Jaguar and Land Rover** cars thanks to the satisfaction of requirements of the **STJLR 03.5007** specification (latest generation 'Ingenium' diesel engines). Furthermore, the product is suitable for use in petrol and diesel engines in which the manufacturer requires a lubricant compliant with the Fiat 9.55535-GS1 and Fiat 9.55535-DS1 specifications respectively.

**SPECIFICATIONS: ACEA C2; FORD WSS-M2C950-A; JLR 03.5007**  
**PRODUCT CODE: REUOVxxx-164**

Packings: 12x1Lt, 20Lt, 200Lt

**EURO  
LUBE**



THANKS TO NEW CAR ENGINE OIL PRODUCTS, THE EUROLUBE VEHICLE RANGE MEETS ALL THE MAJOR NEEDS OF THE SECTOR. IN ACCORDING TO THE ACEA AND THE LATEST GENERATION ENGINES, THE COVERAGE INSURED BY EUROLUBE IS TOTAL.

- **ACEA C1**  
M.G.V. 5W/30 C1
- **ACEA C2**  
M.G.V. 5W/30 C2, **M.G.V. 0W/30 FJ**
- **ACEA C3**  
M.G.V. 5W/30 C3, M.G.V. 5W/40 TECH
- **ACEA C4**  
M.G.V. 5W/30 C4
- **ACEA C5**  
**M.G.V. 0W/20 HYBRID**

A large, stylized red banner with the word "NEW" written in white, slanted upwards from left to right.

# EUFREEZE OAT GIALLO

**EUFREEZE OAT GIALLO** is an Universal antifreeze fluid, recommended for all motor vehicles, 4WD and light commercial vehicles (check OEM requirements to verify correct use). Formulated with an inhibitor package free of nitrites, amines, phosphates, silicates and borates, it avoids the formation of deposits, contributing to the maintenance of the performance of the car. Guarantees 5 years of total protection. The product is to be used after dilution with demineralized water.

**EURO  
LUBE**

# EUFREEZE OAT GIALLO

Characteristics of the OAT antifreeze:

- Low inhibitor depletion rates, "fill for life" coolant.
- Compatibility with many refrigerant standards.
- Extreme stability at high temperatures.
- Offers excellent heat transfer rate.

**PRODUCT CODE: REUPRxxx-321.**

**News: Available in 12x1Kg packing, then 20Kg e 220Kg.**

**EURO  
LUBE**



# MEGASYNT CK-4 5W-30

**EURO  
LUBE**

It is a fully synthetic oil of the latest generation, suitable for the lubrication of diesel commercial vehicle engines equipped with exhaust aftertreatment systems and previous ones, operating under severe conditions. Allows the maximum oil change intervals provided by the manufacturers. **THE PRODUCT MEETS THE LATEST SPECIFICATIONS OF THE SECTOR.**

**PRODUCT CODE: REUVIxxx-138.**

Packings: 4x4Lt, 20Lt, 200Lt.

**CUTTING-EDGE SPECIFICATIONS:**

**API CK-4; VOLVO VDS 4.5; MACK EOS - 4.5**

